	4	
7.		
	•	
-		ч

	COUP	RSE		学学学学学学等等等的。 EST-2013 UNDAY DATE: 30-JUNE-201
EN	ENVIRON	MENTAL	ı	E : 9.00 a.m. to 12.00 Noon
MAXIMUM MARKS	RATION	MAXIN	IUM TIME FOR ANSWERING	
	180 200 Min		180 Minutes	
MENTION YOU CET NU	R DIPLOMA MBER	QU	JESTION	BOOKLET DETAILS
		VERSION (SERIAL NUMBER
		A -	1	125049

- 1. Check whether the Diploma CET No. has been entered and shaded in the respective circles on the OMR answer
- 2. This question booklet is issued to you by the invigilator after the 2nd bell i.e., after 08.50 a.m.
- 3. The serial number of this question booklet should be entered on the OMR answer sheet.
- 4. The version code of this question booklet should be entered on the OMR answer sheet and the respective circles
- 5. Compulsorily sign at the bottom portion of the OMR answer sheet in the space provided. DON'Ts:

魯魯

魯

幽

鏺 麥

鏺

- 1. THE TIMING AND MARKS PRINTED ON THE OMR ANSWER SHEET SHOULD NOT BE DAMAGED /
- 2. The 3rd Bell rings at 9.00 a.m., till then;
 - Do not remove the seal / staple present on the right hand side of this question booklet.
 - Do not look inside this question booklet.
 - Do not start answering on the OMR answer sheet.
- 1. This question booklet contains 180 (items) questions and each question will have one statement and four answers. (Four different options / responses.)
- 2. After the 3rd Bell is rung at 9.00 a.m., remove the paper seal / polythene bag of this question booklet and check that this booklet does not have any unprinted or torn or missing pages or items etc., if so, get it replaced by a complete test booklet. Read each item and start answering on the OMR answer sheet.
- During the subsequent 180 minutes:
 - Read each question (item) carefully.
 - Choose one correct answer from out of the four available responses (options / choices) given under each question / item. In case you feel that there is more than one correct response, mark the response which you consider the best. In any case, choose only one response for each item.
 - Completely darken / shade the relevant circle with a blue or black ink ballpoint pen against the question

and anni guadet 2066					· -	•	Samuel and que
Correct Method of shading	the circle	e on th	A 004E				
3		OII di	e Olvin	answe	er sheet is as	showr	below :
	①		(3)	(4)			
e space provided on each page							•

- 4. Use the space provided on each page of the question booklet for Rough Work. Do not use the OMR answer
- 5. After the last bell is rung at 12.00 Noon, stop marking on the OMR answer sheet and affix your left hand thumb impression on the OMR answer sheet as per the instructions.
- 6. Hand over the OMR answer sheet to the room invigilator as it is.
- 7. After separating the top sheet (KEA copy), the invigilator will return the bottom sheet replica (candidate's copy)
- 8. Preserve the replica of the OMR answer sheet for a minimum period of ONE year.

孌

魯魯

魯

缀 魯

Croast

00

PART - A

It consists of 1 - 40 questions.

1. If
$$\begin{vmatrix} x+2 & 5 \\ 0 & x-2 \end{vmatrix} = 0$$
, then $x =$

(1) 1

(2) 2

(3) 3

- (4) 0
- 2. In solving the equations by Cramer's rule for 5x 3y = 1 and 2x 5y = -11, the value of x and y is
 - (1) (3, 2)

(2) (-3, -2)

(3) (2,3)

- (4) (-2, -3)
- 3. If $A = \begin{bmatrix} 2 & 0 & 0 \\ 1 & 2 & 0 \\ 1 & 1 & 2 \end{bmatrix}$ then A adj A is
 - (1) Diagonal

(2) Scalar

(3) Identity

- (4) Zero matrix
- 4. The minor of the element 6 in a matrix $A = \begin{bmatrix} 2 & -3 & 0 \\ 4 & 1 & 6 \\ 3 & 2 & 0 \end{bmatrix}$ is
 - (1) 10

(2) 11

(3) 12

- (4) 13
- 5. The characteristic equation of the matrix $A = \begin{bmatrix} 5 & -3 \\ 2 & 1 \end{bmatrix}$ is
 - (1) $\lambda^2 6\lambda + 11 = 0$
- (2) $\lambda^2 6\lambda 11 = 0$
- (3) $\lambda^2 + 6\lambda + 11 = 0$

 $(4) - \lambda^2 + 6\lambda = 0$



- 6. The fourth term in the expansion of $(\sqrt{3} + 2)^7$ is
 - (1) 2520

(2) - 2520

(3) 1/2520

- (4) 1/2520
- 7. The constant term in the expansion $(x^2 + 1/x)^{12}$ is
 - (1) 495

(2) 495

(3) 1/495

- (4) 945
- 8. The projection of vector (3, 1, 3) on vector (1, -2, 1) is
 - (1) $2\sqrt{6}/5$

 $(2) - 2\sqrt{6}/3$

(3) $2\sqrt{6}/3$

- $(4) 2\sqrt{6}/5$
- 9. If vector a = (1, 1, 1) and vector b = (2, 2, 1) then magnitude of vector $a \times b$ is
 - (1) $\sqrt{26}$

(2) $\sqrt{28}$

(3) $\sqrt{24}$

- (4) 1
- 10. The cosine of the angle between the vectors (3, -1, 1) and vector (1, 1, -1) is
 - (1) $1/\sqrt{11}$

(2) $-1/\sqrt{33}$

(3) $1/\sqrt{33}$

- (4) $-1/\sqrt{11}$
- 11. The value of $(\sec^6 x \tan^6 x)$ is
 - (1) $1 3 \sec^2 \times \tan^2 x$
 - (2) $1 + \tan^2 x \sec^2 x$
 - (3) $1 + 3 \sec^2 \times \tan^2 x$
 - $(4) 1 \tan^2 \times \sec^2 x$

12.	If x cot 45° cos 60°	= sin 60° tan 30° then	the value of v is
-----	----------------------	------------------------	-------------------

(1) √3

(2) $\sqrt{3}/2$

(3) 1/2

(4) 1

13. If
$$\tan x = 15/8$$
 and x is in the III quadrant then the value of $(2 \sin x - 3 \cos x) / (2 \cos x + 3 \sin x)$ is

(1) 61/6

(2) - 61/6

(3) - 6/61

(4) 6/61

14. The value of
$$\{[\sin(2\pi - \theta) + \cos(-\theta)]/[\tan(-\theta) + \cot(2\pi + \theta)]\} - \{[\sin(\pi/2 + \theta) + \cos(3\pi/2 - \theta)]/[\cot(\pi + \theta) + \tan(2\pi - \theta)]\}$$
 is

(1) 0

(2) - 1

(3) + 1

(4) - 2

15. If
$$\sin A = 5/13$$
 and $\sin B = 4/5$ then the value of $\cos (A - B)$ is

(1) 65/56

(2) 56/65

(3) 16/65

(4) - 16/65

16. On simplification the value of
$$(\cos^3 A - \cos 3 A) / \cos A + (\sin^3 A + \sin 3 A) / \sin A$$
 is

(1) 3

(2) 1

(3) 2

(4) 0

17. The value of
$$(\sin 100^{\circ} + \sin 20^{\circ}) / (\cos 100^{\circ} + \cos 20^{\circ})$$
 is

(1) $\sqrt{3}/2$

(2) 1/2

(3) $\sqrt{3}$

(4) 1

18. The value of
$$(\tan^{-1} 5/6 + \tan^{-1} 1/11)$$
 is

(1) 30°

(2) 60°

(3) 90°

(4) 45°



- 19. If the points (-3, K), (5, 7) and (-11, 1) are collinear, then the value of K is
 - (1) 4

(2) 3

(3) 2

- (4) 1
- 20. The ratio of the line join of the points (2, 3) and (-5, 6) divided by y axis is
 - (1) 5:2

(2) 2:5

(3) 3:2

- (4) 2:3
- 21. Three vertices of a triangle are (-2, 3, 1), (-1, 4, 2) and (-6, 5, 2), then the centroid of the triangle is
 - (1) (-3, 4, 1)

(2) (0, 5/3, 1/3)

(3) (4, 3, 1)

- (4) (-3, -4, -2)
- 22. The equation to the straight line passing through (3, 2) and perpendicular to the line 5x + 2y 3 = 0 is
 - (1) 2x 5y 4 = 0
 - (2) 2x 5y + 4 = 0
 - (3) 2x + 5y + 4 = 0
 - (4) 5x 2y + 4 = 0
- 23. The slope of a line passing through the points (-4, -5) and (2, 3) is
 - (1) 3/4

(2) - 3/4

(3) 4/3

- (4) 4/3
- 24. The acute angle between the lines 2x y + 3 = 0 and x 3y + 2 = 0 is
 - (1) 30°

(2) 60°

(3) 90°

(4) 45°

- 25. The value of $\lim_{n\to\infty} [(3-n)(4-n)(2n-5)]/(4n^3-3)$
 - (1) 1/2

(2) 1/2

(3) 3/2

- (4) 3/2
- 26. The value of $\lim_{x\to -3} (x^4 81) / (x^3 + 27)$ is
 - (1) 3

(2) - 3

(3) 4

(4) - 4

- 27. $d/dx \left(\sqrt{\sin^2 x} \text{ is }\right)$
 - $(1) \cos x$

(2) sin 2x

(3) $\cos^2 x$

- (4) $\sqrt{\cos x / \sin x}$
- 28. $d/dx tan^{-1} \sqrt{(1-\cos 2x)/(1+\cos 2x)}$ is
 - (1) 1

(2) 0

(3) tan x

(4) cos x

- 29. If $y = \sin x^x$ then dy/dx is
 - (1) $x \log \sin x$
 - (2) cos x^x
 - (3) $\sin x^x (x \cot x + \log \sin x)$
 - (4) $\cos x^x (x \tan x + \log \sec x)$
- 30. $d/dx \left(sin h^{-1} x \right)$ is
 - (1) $1/\sqrt{1+x^2}$

(2) $1/\sqrt{1-x^2}$

(3) $1/\sqrt{x^2-1}$

(4) $1/\sqrt{x^2+1}$

- 31. The equation to the normal to the curve $y = 5x^2 + 4x 11$ at the point (-1, 2) is
 - (1) x 6y + 11 = 0
 - (2) x + 6y 11 = 0
 - (3) 6x y + 11 = 0
 - (4) 6x + y 11 = 0
- 32. The volume of a sphere is increasing at the rate of 4 π c.c/sec, then the rate of increase of the radius is when the volume is 288 π cc
 - (1) 6 cm/sec

(2) 1/6 cm/sec

(3) 1/36 cm/sec

(4) 36 cm/sec

- 33. $\int \sin^2 x \, dx$ is
 - (1) $\cos x + c$

(2) $x/2 - (\sin 2x)/4 + c$

(3) $x/2 + (\cos 2x)/4 + c$

- (4) $x/2 + (\sin 2x)/4 + c$
- 34. $\int (3x^2 + x 1)^6 (6x + 1) dx$ is
 - (1) $6(3x^2 + x 1)^5 + c$

(2) $(3x^2 + x - 1)^6 + c$

(3) $(3x^2 + x - 1)^7 / 7 + c$

(4) $(3x^2 + x - 1)^7 / 21 + c$

- 35. $\int \tan^{-1} x \, dx$ is
 - (1) $x \tan^{-1} x 1/2 \log (1 + x^2) + c$
 - (2) $x \tan^{-1} x + 1/2 \log (1 + x^2) + c$
 - (3) $tan^{-1}x 1/2 log (1 + x^2) + c$
 - (4) $\tan^{-1} x + 1/2 \log (1 + x^2) + c$



36.
$$\int_{0}^{\pi/2} \sin 3x \cos 2x \, dx \text{ is}$$

- (1) 3/5
- (2) 3/5
- (3) 5/3

$$(4) - 5/3$$

37.
$$\int_0^2 (x-1)(x-2) dx$$
 is

- (1) 2/3
- (2) 2/3
- (3) 3/2

- (4) 3/2
- 38. The area bounded by the curve $y = 2x^2$, the x axis and the ordinates at x = -1 and x = 2 is
 - (1) 6 sq units
 - .(2) 3 sq units
 - (3) 3 sq units
 - (4) 6 sq units
- 39. The differential equation formed by eliminating a and b from $x + y = ae^{x} + be^{-x}$ is
 - (1) $d^2y/dx^2 + y = 0$
 - (2) $d^2y/dx^2 y = 0$
 - (3) $d^2y/dx^2 x y = 0$
 - (4) $d^2y/dx^2 + x y = 0$
- 40. The solution of the differential equation $dy/dx = (1 + y^2) / (1 + x^2)$ is
 - (1) $\tan^{-1} y + \tan^{-1} x + c = 0$
 - (2) $\log (1 + y^2) + \log (1 + x^2) + c = 0$
 - (3) $tan^{-1} y tan^{-1} x + c = 0$
 - (4) $\log (1 + y^2) \log (1 + x^2) + c = 0$



PART-B

It consists of 41 - 80 questions.

- 41. The prefix "mega" stands for
 - $(1) 10^3$
- $(2) 10^{-3}$
- $(3) 10^{-6}$
- $(4) 10^6$
- 42. Which of the following is dimensional physical quantity?
 - (1) pressure

(2) strain

(3) mechanical advantage

(4) sp.gravity

- 43. The principle of vernier is
 - (1) n VSD = (n + 1) MSD

(2) (n-1) VSD = n MSD

(3) n MSD = (n-1) V SD

- (4) (n-1) MSD = n VSD
- 44. A screw gauge has a pitch of $\frac{1}{2}$ mm and 50 division on sleeve. The reading when the jaws touch is +5 division. While gripping a wire the reading is PSR = 3 PSD and HSR = 17, then the diameter of wire is
 - (1) 1.62 cm

(2) 0.162 cm

(3) 0.162 mm

- (4) 16.2 mm
- 45. The extension of the material by itself without increase of load takes place
 - (1) within elastic limit
 - (2) beyond elastic limit
 - (3) beyond yield point
 - (4) at breaking point
- 46. If the strain in a wire is 0.1%, then the change in the length of the wire of length 5 m is
 - (1) 5×10^{-2} m

(2) 5×10^{-3} m

(3) 5×10^{-4} m

(4) 5×10^{-3} cm

		-11-		느
47	. Poisson's ratio is the ratio	o of		
	(1) Lateral strain Linear strain	(2)	Linear strain Lateral strain	
	(3) Lateral strain Volume strain	(4)	Volume strain Lateral strain	
48.	The pressure at a depth of	of 100 m below the s	urface of water densi	ty 1000 kgm ^{−3} is
	(1) $98 \times 10^5 \text{ Nm}^{-2}$		$9.8 \times 10^4 \text{Nm}^{-2}$	-
	(3) $980 \times 10^4 \text{ Nm}^{-2}$	(4)	$98 \times 10^4 \text{Nm}^{-2}$	
49.	When two capillary tube height of the liquid is	of different diameter	s are dropped vertic	ally in a liquid, the
	(1) More in the tube of la	rger diameter		
	(2) More in the tube of sr	naller diameter		
	(3) Lesser in the tube of	smaller diameter		
	(4) Same in both the tube	es	•	
50.	The property by virtue of layers is	which a liquid oppos	es relative motion be	etween its different
	(1) Viscosity	(2)	Elasticity	
	(3) Surface tension	(4)	Inertia	
51.	The maximum amount of t	orce acting for a sho	rt duration is known a	as
	(1) Momentum	(2)	Inertia	
	(3) Power	(4)	Impulse	
52.	A bullet of mass 0.01 kg is the recoil velocity of rifle is	fired from a rifle of m	nass 20 kg with a spe	ed of 10 m/s , then
			(3) –200.01	(4) -0.005



ΞN	-12- Jahan Mah di N
53.	Final velocity of a body thrown downwards is
	(1) Maximum (2) Minimum
	(3) No change (4) Zero
54.	A person throws a sand bag from a boat at rest in a pond then boat moves
	(1) In the same direction
	(2) In the opposite direction
	(3) In a perpendicular direction
	(4) In circular direction
55.	Two equal forces at a point, the square of their resultant is equal to three times the product of the forces. Then the angle between the forces is equal to
	(1) 30° (2) 45°
	(3) 60° (4) 90°
56.	Equilibrant is a force
	(1) Which brings a body in equilibrium
	(2) Which moves the body along the resultant force
	(3) in zig-zag movement of the body
	(4) Which moves the body in opposite direction to equilibrant force
57	A force of 10 N acting on a body fixed at a point the distance from the fixed point to the line of force is 2 m. Then the moment of the force is N-m.
	(1) 0.002 (2) 0.02 (3) 2 (4) 20
58	By Lami's theorem, PQR are three forces acting in equilibrium and angle between PR, PQ, QR, are α , β , γ respectively then which of the following is correct?
	(1) $\frac{P}{\sin\beta} = \frac{Q}{\sin\gamma} = \frac{R}{\sin\alpha}$ (2) $\frac{P}{\sin\gamma} = \frac{Q}{\sin\alpha} = \frac{R}{\sin\beta}$
	(3) $\frac{P}{\sin\alpha} = \frac{Q}{\sin\beta} = \frac{R}{\sin\gamma}$ (4) $\frac{P}{\sin\alpha} = \frac{Q}{\sin\gamma} = \frac{R}{\sin\beta}$



59. If the line of action of the force passes through the point of rotation, then the moment of force is

-13-

(1) Maximum

(2) Less than one

(3) Greater than one

- (4) Zero
- 60. 1 Kilo calorie of heat is equal to ______ joule.
 - (1) 4.186

(2) 41.86

(3) 418.6

- (4) 4186
- 61. The correct relation between °F and K scale is
 - (1) 5K = 9 (F 32)
 - (2) 9K = -5(F 32)

 - (3) $K = \frac{9}{5} (F 32) 273$ (4) $K = \frac{9}{9} (F 32) + 273$
- 62. Absolute zero is the temperature of a gas at which, the _____ of gas is theoretically zero.
 - (1) Mass

(2) Weight

(3) Volume

- (4) Density
- 63. When the particle is in SHM having amplitude 'r', then its velocity is
 - (1) $v = \omega (r^2 v^2)$

(2) $v = \omega \sqrt{r^2 - y^2}$

(3) $v = r\omega^2$

- (4) $v = r\omega^3$
- 64. Ripples in water are the example for
 - (1) Transverse wave
 - (2) Longitudinal wave
 - (3) Sound wave
 - (4) Ultrasonic wave



	•	· · · · · · · · · · · · · · · · · · ·
65. The lengt	th of one ventral segment in stat	ionary wave is equal to
(1) Full v	wavelength of the wave	
(2) Twic	e the wavelength of the wave	
(3) Half	a wavelength of the wave	
(4) Quar	ter a wavelength of the wave	
66. A stretche	ed string under a tension T vibra I by 4 times, then the frequency I	ates with a frequency f. When the tension is becomes
(1) same)	(2) doubled
(3) triple	d	(4) zero
67. The best	value of reverberation time for sp	peech listener
(1) 0.5 to	1.5 s	(2) 0.15 to 0.5 s
(3) 0.05	to 0.15 s	(4) 0.5 to 5 s
their mass	of equal lengths but stretched wases per unit length are in the rate tensions	ith different tensions are made to vibrate, if io 3:2:1 and frequencies are same then the
(1) 1:2:3		(2) 2:3:1
(3) 1:3:2		(4) 3:2:1
69. Newton's	formula for velocity of sound was	s corrected by
(1) Boyle		(2) Charles
(3) Lapla	ce	(4) Hertz
70. Light wave	es are composed of both electric	and magnetic field is proposed by
(1) Newto	on's corpuscular theory	
(2) Huyge	en's wave theory	
(3) Maxw	ell's theory of light	
(4) Plank'	s theory	•



- 71. If 'a' and 'b' are the amplitudes of two interfering waves then for destructive interference the amplitude 'R' is
 - (1) R = ab

(2) R = a/b

(3) R = a - b

- (4) R = a + b
- 72. Two coherent sources 2×10^{-4} m apart are illuminated by the light of wave length 5000×10^{-10} m. The distance between the source and screen is 0.2m, then fringe width is
 - (1) 0.05×10^{-3} m
 - (2) 5×10^{-3} m
 - (3) 0.5×10^{-3} m
 - (4) 50×10^{-3} m
- 73. Resolving power of microscope is
 - (1) Equal to the resolution of the microscope
 - (2) Reciprocal to the resolution of the microscope
 - (3) Reciprocal to the focal length of the microscope
 - (4) Product of wave length and semi vertical angle
- 74. Which of the following phenomenon confirm that light is transverse wave?
 - (1) Diffraction

(2) Interference

(3) Refraction

(4) Polarization

- 75. In Field emission
 - (1) High positive voltage is used
 - (2) Secondary electrons are used
 - (3) High energy is used
 - (4) High radiations are used



76. Which of the following is not true?

- (1) Photoelectric emission is an instantaneous process
- (2) Photoelectric emission do not takes place below threshold frequency
- (3) The K.E. of the photoelectron depends on the wavelength of incident radiation
- (4) Number of photoelectrons emitted is directly proportional to the intensity

77. The appearance of additional frequencies in scattered beam of light is known as

- (1) Raman effect
- (2) Coherent scattering
- (3) Incoherent scattering
- (4) Bipolar scattering

78. Two properties of LASER are

- (1) Highly monochromatic and extremely intense
- (2) Highly chromatic and extremely fast
- (3) Very high frequency and extremely high wave length
- (4) Very high power and extremely low amplitude

79. To form a galvanic cell

- (1) difference in concentration of electrolyte is required
- (2) difference in concentration of frequency is required
- (3) difference in concentration of amplitude is required
- (4) both (2) and (3)

80. pH value is not having its application in

- (1) determination of quality of soil
- (2) determination of quality of textile dyes
- (3) determination of quality of chemicals
- (4) determination of quality of electron



PART - C

lt c	It consists of 81-180 Questions :							
81.	Mark	ole is an example	ofrock.					
	(1)	Igneous	(2)	Sedimentary				
	(3)	Metamorphic	(4)	Volcanic				
82.	Exce	ess of	leads to decay of bric	ks.				
	(1)	lime	(2)	magnesia				
	(3)	oxide of iron	(4)	silica				
83.	Exce	ess of	causes brick to me	elt and hence looses its shape.				
	(1)	Magnesia	(2)	Lime				
	(3)	Alkalies	(4)	Iron pyrites				
84.		initial setting		rtland cement should not be less				
	(1)	10 minutes	(2)	20 minutes				
	(3)	30 minutes	(4)	60 minutes				
85.	Ordi	nary portland cem	nent has got the grades	S				
	(1)	33 grade	(2)	43 grade				
	(3)	53 grade	(4)	all of the above				
86.	Cem	ent concrete is ar	n example of	stone.				
	(1)	geological	(2)	natural				
	(3) a	artificial	(4)	physical				
	SPACE FOR ROUGH WORK							



87.	87. Workability of cement concrete is determined by						
	(1) Slump test	(2) Compaction factor test					
	(3) Vee-bee test	(4) All of the above					
88.	The cement concrete in plastic stage is	known as					
	(1) Fresh concrete	(2) Green concrete					
	(3) Hard concrete	(4) Fibre reinforced concrete					
89.	survey is carried out for f	ixing the property lines.					
	(1) city	(2) mine					
	(3) cadastral	(4) topographic					
90.	is an instrument used to	range a straight line and prolong it.					
	(1) French cross-staff	(2) optical square					
	(3) line ranger	(4) prism square					
91.	The RB or QB of 160° is						
	(1) S20°E	(2) S20°W					
	(3) N20°W	(4) N20°E					
92.	Reduced bearing is found in						
	(1) Surveyors compass	(2) Prismatic compass					
	(3) Both (1) and (2)	(4) Neither (1) nor (2)					



93. Magnetic declination is measured tow	ards of true meridian.				
(1) East	(2) West				
(3) Both (1) and (2)	(4) Neither (1) nor (2)				
94. The MSL in India is considered at					
(1) Mumbai port	(2) Chennai port				
(3) Paradeep port	(4) Cochin port				
95. In leveling negative read	ing is recorded.				
(1) Differential	(2) Fly				
(3) Inverted	(4) Block				
96. The least count of leveling staff is					
(1) 0.005 m	(2) 0.005 cm				
(3) 0.005 mm	(4) 0.05 m				
97. The mass density of fresh water is					
(1) 1000 kg/m ³	(2) 1000 N/m ³				
(3) 1000 kN/m ³	(4) 1000 gm/m ³				
98. The value of atmospheric pressure is					
(1) 1.0332 N/mm ²	(2) 1.0332 kg/cm ²				
(3) 1.1332 N/mm ²	(4) 1.1332 kg/cm ²				
99. The sum total of all pressure acting on a lamina when inserted in water is known as					
(1) centre of pressure	(2) concentration of pressure				
(3) total pressure	(4) momentum of pressure				



(1) water has less specific gravity than oil (2) oil has less specific gravity than water (3) both oil and water have same specific gravity (4) none of the above reason 101. The coefficient of discharge of an orifice is mouth piece. (1) same as (2) greater than (3) less than (4) unpredictable than 102. The discharge equation for mouth piece running free is (1) 0.65a√(2gH) (2) 0.50a√(2gH) (3) 0.55a√(2gH) (4) 0.60a√(2gH) 103. The sheet of liquid flowing over a notch is known as (1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if (1) breadth equals depth (2) breadth is twice depth					
(2) oil has less specific gravity than water (3) both oil and water have same specific gravity (4) none of the above reason 101. The coefficient of discharge of an orifice is mouth piece. (1) same as (2) greater than (3) less than (4) unpredictable than 102. The discharge equation for mouth piece running free is (1) 0.65a√(2gH) (2) 0.50a√(2gH) (3) 0.55a√(2gH) (4) 0.60a√(2gH) 103. The sheet of liquid flowing over a notch is known as (1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if			il floats over water due to	00. Oil fl	100.
(3) both oil and water have same specific gravity (4) none of the above reason 101. The coefficient of discharge of an orifice is mouth piece. (1) same as		jravity than oil	1) water has less specific	(1)	
(4) none of the above reason 101. The coefficient of discharge of an orifice is mouth piece. (1) same as (2) greater than (3) less than (4) unpredictable than 102. The discharge equation for mouth piece running free is (1) 0.65a√(2gH) (2) 0.50a√(2gH) (3) 0.55a√(2gH) (4) 0.60a√(2gH) 103. The sheet of liquid flowing over a notch is known as (1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2)		ity than water	2) oil has less specific gra	(2)	
101. The coefficient of discharge of an orifice is mouth piece. (1) same as (2) greater than (3) less than (4) unpredictable than 102. The discharge equation for mouth piece running free is (1) 0.65a√(2gH) (2) 0.50a√(2gH) (3) 0.55a√(2gH) (4) 0.60a√(2gH) 103. The sheet of liquid flowing over a notch is known as (1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2)		same specific gravity	3) both oil and water have	(3)	
(1) same as (2) greater than (3) less than (4) unpredictable than 102. The discharge equation for mouth piece running free is (1) 0.65a√(2gH) (2) 0.50a√(2gH) (3) 0.55a√(2gH) (4) 0.60a√(2gH) 103. The sheet of liquid flowing over a notch is known as (1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2)		on	4) none of the above reas	(4)	
(3) less than (4) unpredictable than 102. The discharge equation for mouth piece running free is (1) 0.65a√(2gH) (2) 0.50a√(2gH) (3) 0.55a√(2gH) (4) 0.60a√(2gH) 103. The sheet of liquid flowing over a notch is known as (1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if	ce.	of an orifice is	ne coefficient of discharge	01. The	101.
102. The discharge equation for mouth piece running free is (1) 0.65a√(2gH) (2) 0.50a√(2gH) (3) 0.55a√(2gH) (4) 0.60a√(2gH) 103. The sheet of liquid flowing over a notch is known as (1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if		(2) greate	1) same as	(1)	
(1) 0.65a√(2gH) (2) 0.50a√(2gH) (3) 0.55a√(2gH) (4) 0.60a√(2gH) 103. The sheet of liquid flowing over a notch is known as (1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if	ın	(4) unpre	3) less than	(3)	
(3) 0.55a√(2gH) (4) 0.60a√(2gH) 103. The sheet of liquid flowing over a notch is known as (1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if		nouth piece running fo	he discharge equation for	02. The	102.
103. The sheet of liquid flowing over a notch is known as (1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if		(2) 0.50a	1) 0.65a√(2gH)	(1)	
(1) Vein (2) Nappe (3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if		(4) 0.60a	3) 0.55a√(2gH)	(3)	
(3) Neither (1) nor (2) (4) Both (1) and (2) 104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if		ver a notch is known	he sheet of liquid flowing	03. The	103.
104. Weirs are usually constructed with (1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if		(2) Napp	1) Vein	(1)	
(1) fibre (2) metal sheet (3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if		(4) Both	3) Neither (1) nor (2)	(3)	
(3) neither (1) nor (2) (4) both (1) and (2) 105. A rectangular channel is in its best form to discharge water, if		ed with	eirs are usually construc	04. Wei	104.
105. A rectangular channel is in its best form to discharge water, if		(2) meta	1) fibre	(1)	
		(4) both	3) neither (1) nor (2)	(3)	
		ts best form to dischar	rectangular channel is in	05. A re	105
	depth		<u>-</u>		
(3) breadth is half depth (4) breadth is thrice depth				` ,	

106. The loss of head due to sudden enlargement of a pipe is

 $(1) (V_2 - V_1)^2 / 2g$

 $(2) (V_2^2 - V_1^2) / 2g$

(3) $(V_1^2 - V_2^2) / 2g$

 $(4) (V_1 - V_2)^2 / 2g$

107. The basic unit of heat is

(1) Degree Celsius

(2) Fahrenheit

(3) Calorie

(4) Degree Centigrade

108. Solid residues along with containers are cooled in

(1) Refrigerators

(2) Incubators

(3) Desiccators

(4) Preservators

109. The determination of chloride involving the formation of precipitate is _____ analysis.

(1) Colorimeteric

(2) Gravimeteric

(3) Volumetric

(4) Chromatographic

110. When an acid is added to water, the hydroxyl ion activity

(1) Increases

(2) Decreases

(3) Null

(4) No Change

111. _____ are the most common interferences in the determination of chlorine residuals.

(1) Nitrates

(2) Nitrogen

(3) Ammonia

(4) Nitrites

112. The solubility of atmospheric oxygen in fresh water at 0°C is

(1) 1.46 mg/l

(2) 14.6 mg/l

(3) 7.0 mg/l

(4) 7.6 mg/l



EN		-22	2-		i (matain ilite) et ir mi
113.	The presence of	in domestic wast	tewate	er causes corrosion of	sewers.
	(1) Sulphate	(2	2) Ph	osphate	
	(3) Nitrate	(4	4) Su	ılphite	
114.	The stable oxidation s	tate of iron is			
	(1) Fe(II)	(2) Fe(III)	((3) Fe(IV)	(4) Fe(V)
115.	The rate of BOD react	ions are	_	reaction.	
	(1) Zero Order	(2	2) Fir	rst Order	
	(3) Second Order	(4	4) Th	nird Order	
116.	Polyphosphate can be	converted to ortho	phosp	phate by	
	(1) Boiling	((2) Ox	xidation	
	(3) Reduction	((4) Hy	ydrolysis	
117.	The surface run-off is	the quantity of wate	r		
	(1) absorbed by soil				
	(2) intercepted by bui	lding and vegetative	e cove	er	
	(3) required to fill surf	face depression			
	(4) that reaches the s	tream channel			
118.	The Kuichling's formu	la for fire demand is	s		
	(1) Q = 318√P		(2) Q	= 3282√P	
	(3) Q = 3182√P	((4) Q	= 328√P	
119.	is not a type	of springs.			
	(1) Artesian Springs	((2) G	ravity Springs	
	(3) Surface Springs	((4) Sı	ub-Surface Springs	



		2-7		i ISB1240 M(6) 81 1
127.	There are 3 samples X, calculate how many time			5, 5.5 and 6.5 respectively,
	(1) 1	(2) 100	(3) 2	(4) 200
128.	For an area develope distribution is	d in a haphazard w	ay, the type of	layout recommended for
	(1) Dead End System	(2	Ring System	
	(3) Radial System	(4)	Grid Iron Syst	em
129.	If the ground water is a best source to develop		oil depth in the	river is shallow, then the
	(1) Tube Well	(2)	Infiltration Gal	leries
	(3) Infiltration Wells	(4)	Springs	
130.	Which treatment unit is	s used to remove hyd	Irophilic impurit	ies?
	(1) Coagulation	(2)	Sedimentation	1
	(3) Screening	(4)	All the above	
131.	If a filter has been out should be used to refill		wed to go dry,	which filter control valve
	(1) Effluent Valve	(2)	Influent Valve	
	(3) Re-Wash Valve	(4)	Wash Valve	
132.	indic	ates the sewage wh	ch is undergoin	g the treatment process.
	(1) Weak Sewage	(2)	Fresh Sewage	•
	(3) Sullage	(4)	Septic Sewag	e
133.	The condition favorable	e for separate system	n of sewerage is	
	(1) Flat topography	(2)	Even rainfall	
	(3) Steep slopes	(4)	Restricted spa	ce



120.	In intakes, the coarse screens are usua	lly placed about	apart.
	(1) 25 – 50 mm	(2) 50 – 75 mm	
	(3) 25 – 75 mm	(4) 50 – 100 mm	
121.	The efficiency of air lift pumps varies fro	m ·	
	(1) 10 to 35 %	(2) 20 to 45 %	
	(3) 30 to 55 %	(4) 40 to 65 %	
122.	The efficiency of diesel engine for the ru	unning of pumps is about	
	(1) 50 to 60 %	(2) 60 to 70 %	
	(3) 70 to 80 %	(4) 80 to 90 %	
123.	Jackson turbidimeter can record turbidit	ies above	
	(1) 1 ppm	(2) 10 ppm	
	(3) 100 ppm	(4) 1000 ppm	
124.	The unit of electrical conductivity is		
	(1) mhos/cm	(2) Siemens	
	(3) ohms/cm	(4) Both (1) and (2)	
125.	The minimum water pressure maintaine	d in fire hydrant is	
	(1) 0.1 to 0.15 kg/cm ²	(2) 1.0 to 1.5 kg/cm ²	
	(3) 10 to 15 kg/cm ²	(4) 10 to 20 kg/cm ²	
126.	Which natural coagulants are used in ru	ral areas of India?	
	(1) Nirmali Seeds	(2) Drumstick Seeds	
	(3) Lady finger seeds	(4) All the above	
	SPACE FOR RO	DUGH WORK	



134.	The design period for sewage treatmen	t plant is about
	(1) 10 to 20 Years	(2) 10 to 30 Years
	(3) 20 to 30 Years	(4) 10 to 40 Years
135.	Manholes are constructed on sewer und	der
	(1) every change of alignment	
	(2) change of gradient	
	(3) change of alignment, gradient and	diameter
	(4) change of diameter	
136.	The percentage of solids present in sew	vage is
	(1) 99.9	(2) 90.0
	(3) 0.1	(4) 0.01
137.	Disposal of sewage in large cities is dor	ne by
	(1) Sewage farming	(2) Dilution
	(3) Oxidation Pond	(4) Land disposal
138.	Lowest point in sewer is called	
	(1) Invert	(2) Summit
	(3) Soffit	(4) Culvert
	In BOD test, oxygen consumed by bact value of BOD_5 is	eria after 5 day incubation is 6.5 mg/l, the
	(1) 6.5 mg/l	(2) 3.25 mg/i
	(3) 13 mg/l	(4) 26 mg/l
	SPACE FOR BC	NICH WORK



EN			-26-			
140.	BOD removal efficience	y of oxidation pon	d is			
	(1) 99%	(2) 90%		(3) 95%	(4) 96%	
141.	If the diameter of circul	ar sewer is 1.2 m,	the w	vidth of egg shaped sew	er section is	
	(1) 1.0 m	(2) 1.2 m		(3) 0.6 m	(4) 0.8 m	
142.	Parshall flume is provide	ded to control vel	ocity	of flow in		
	(1) Trickling Filter		(2) (Grit Chamber		
	(3) Activated Sludge	Process	(4)	Oxidation Ditch		
143.	is provide	ed in the last man	hole (of house drainage syste	em.	
	(1) S-trap		(2) F	Floor trap		
	(3) Gully Trap		(4) I	ntercepting Trap		
144.	is situated just	near the point of	sewa	ge disposal into the str	eam.	
	(1) Degradation Zone	•	(2)	Active Decomposition Z	Zone	
	(3) Recovery Zone		(4) (Clear Water Zone		
145.	The gases liberated du	ıring digestion of	sewa	ge sludge in digesters	are	
	(1) CH ₄ , H ₂ S		(2) (CH ₄ , H ₂ S, CO ₂		
	(3) CO ₂ , H ₂ S		(4) (CO ₂ , N ₂ , O ₂		
146.	Septic tanks should be	cleaned for ever	у			
	(1) 1 to 3 months		(2) 2	2 to 6 months		
	(3) 4 to 12 months		(4) 6	6 to 12 months		
						_

	-27-	EN
147. Dried sewage after treatment is used	as	
(1) Fertilizer	(2) Building material	
(3) Chemical	(4) Base materials for paints	
148 method of neutralizing a	n acid waste has high neutralization capacity.	
(1) Mixing with highly alkaline waste	(2) Lime Stone Treatment	
(3) Lime Slurry treatment	(4) Caustic Soda Treatment	
149. Which method is very effective in streng		
(1) Equipment modification	(2) Reuse of waste	
(3) Changing the production	(4) Conservation of Wastewater	
150. By-product recovery is practiced in		
(1) Dairy	(2) Sugar	
(3) Tannery	(4) Pharmaceutical	
151.The yield of energy in an wastewater trea	utment is more in	
(1) Anaerobic	(2) Anoxic	
(3) Aerobic	(4) Facultative	
152. In a plug-flow reactor model m	iixing does not occur	
(1) Trayoroo	(2) Longitudinal	
(3) Deep	(4) Rapid	
153settling occurs in a primary s	sedimentation tank of wastewater treatment.	
(1) Type 1	(2) Type - II	
(3) Type - III	(4) Type - IV	
SPACE FOR ROI		
o. AGE FOR HOL	DGH WURK	



EN				
154. The major toxic pollutant of fertilizer indus	try is			
(1) Arsenic	(2) Cadmium			
(3) Chromium	(4) Mercury			
155. For a balanced growth of micro-organisms ratio should be				
(1) 100:25:5	(2) 100:2.5:5			
(3) 100:2.5:0.5	(4) None of the above			
156. In Kraft process, the green liquor is con	verted to white liquor by the addition of			
(1) Lime	(2) Alum			
(3) Oxygen	(4) Chlorine			
157. In chrome-tanning process, the tanning	is carried out by the addition of			
(1) Chromium Chloride	(2) Chromium Sulphate			
(3) Chromium Nitrate	(4) Chromium Sulphide			
158 is the basic carbohydrate	consumed in human diet.			
(1) Starch	(2) Sugar			
(3) Cellulose	(4) Glucose			
159 is the rich source of Protein	S.			
(1) Fruits	(2) Vegetables			
(3) Egg	(4) Green Leaves			
160. Deficiency of causes night blindness.				
(1) Vitamin – A	(2) Vitamin – B			
(3) Vitamin – E	(4) Vitamin – K			
CDACE FOR	ROUGH WORK			

	-29-	
161 are called "Power House" (— -	EN
(1) Ribosomes		
(3) Lysosome	(2) Mitochondria(4) Golgi Apparatus	
162. The chemistry which deals with chem known as	nical changes brought about by living organisms is	
(1) Organic Chemistry	(2) Inorganic Chemistry	
(3) Bio-Chemistry	(4) Colloidal Chemistry	
163. The study of fungi is known as		
(1) Mycology	(2) Cytology	
(3) Phycology	(4) Algaeology	
164. Disinfection of water is done to kill _	~-	
(1) Spores of Bacteria	(2) Pathogenic Bacteria	
(3) Non-Pathogenic Bacteria	(4) Pathogenic Viruses	
165. Hepatitis-B is an acute infection of		
(1) Intestine	(2) Stomach	
(3) Liver	(4) Gall Bladder	
166. Presence of excess fluorine in water of	causes	
(1) Dental Fluorosis	(2) Dental Caries	
(3) Both (1) and (2)	(4) Fluorosis	
167 method of pasteurization is	S Most widely used	
(1) Vat Method	(2) HTST Method	
(3) UHT Method	(4) HST Method	

(3) financing

(4) coordinating



475 m	. .	İ
175. Preparation of detailed drawing	and specification comes under	
(1) Job planning	(2) Technical planning	
(3) Pre tender plan	(4) Post tender plan	
176 is not a type of sche	edule.	
(1) planning schedule	(2) expenditure schedule	
(3) labour schedule	(4) equipment schedule	
177. Dummy activity requires		
(1) unit	(2) zero	
(3) real	(4) hypothetical	
178 is not a type of contract	pt.	
(1) labour contract	(2) material contract	
(3) lump sum contract	(4) item rate contract	
179. EMD means		
(1) Earnest Money Demand	(2) Early Money Demand	
(3) Earnest Money Deposit	(4) Early Money Deposit	
180. e-tendering avoids		
(1) non serious contractors	(2) corruption	
(3) favorism	(4) all of the above	
SPACE FOR	R ROUGH WORK	
	Odli WORK	



